



Basic information	Brand	JAC
	Model	Wide Tractor
	Cab Type	A5
	Design Code	Y41K5
	Product Model	HFC4451P1K6A35V
	Drive Mode	4x2
	Fuel Type	Diesel
	Recommended Altitude	≤4000m
	Recommended Temperature	≤40°C
	Dimension	Chassis dimensions (L×W×H)(mm)
Wheelbase(mm)		3500
Tread (front / rear)FT/RT (mm)		2055/1860
Front overhang/Rear overhang		1345/980
Frame Section Size (Hf×Wf×Hf)(mm)		280×80×(8+5)
Min turning radius (m)		7.64
min ground clearance (mm)		237(At the front fender)
Fifth wheel ground clearance off load (mm)		1282
Refitted Part	Cargo inner dimension (mm)/Fifth wheel/Effective mixing volume of tank (m ³)	JOST 50
	Weight	GVW/GCW(kg)
Chassis weight(kg)		7605
Rated loading capacity(kg)		/
Performance	Max Speed (km/h)	116
	Economic speed (km/h)	61-85
	Maximum Gradeability(%)	30
Cab Accessories	Cabin suspension	2 air bags in rear
	wind deflector	●
	Cab sunshade	Sunshade
	Door lock	Central locking
	Cab flip	Electric
	Window glass	Electric
	Driver seat	Gasbag
	Co-driver seat	Gasbag
	Air Condition	●
	warm air	●
	Logo color	silvery

15
YEARS

Successful Business



	Rearview mirror	Electric regulation electric heating
	T-BOX	○
	Cruise control	●
	Engine pre-heating	●
	Air filter	Ordinary air filter
Chassis Accessories	Exhaust direction	Exhaust downwards to the left
	Stainless steel wheel cover	●
	Fan	Electronic control silicone oil
	Insect-proof net	●
	Engine guard	●
	Escalator	●
	Chassis cover	●
	Anti-splash fender	●
	Rear bumper	●
	Front under bumper	●
	Air dryer brand	WABCO
	Air reservoir material	aluminum alloy
	Automatic drain valve	●
Engine	Engine Brand	Weichai
	Engine model	WP12.400E50
	Emission	Euro V
	Rated output power (hp/rpm)	400/1900
	Max torque (N·m/rpm)	1920/1000-1400
	Displacement (cc)	11596
Clutch	Clutch Brand	SACHS
	Specification	Φ430
Transmission	Transmission	MT
	Transmission Model	16S2231TO
	Forward Gear Number	16
	Gear Position	1 3 5 7 R 2 4 6 8
	Rear axle ratio	13.80/0.84
	PTO	○
	PTO Model	NH/1c
	PTO joint type	spline
	Retarder	●

15 YEARS

Successful Business



Front Axle	Maximum capacity (kg)	6500
	Brake type	disc
Rear Axle	Rear Axle Brand/Model	Meritor/FANGSHENG
	Type	Single reduction
	Rear axle ratio	Meritor : 3.7、 3.08/FANGSHENG : 3.7、 3.083
	Maximum capacity (kg)	13000
	Brake type	drum-type
Driveshaft	Specification	Φ120×6
Steering	Type	Power steering with BOSCH Steering gear
Fuel	Fuel tank/Cylinder material	aluminum alloy
	Fuel tank/Cylinder volume (L)	500
Tire	Type	295/80R22.5 18PR、 12R22.5 18PR
	Rim material	steel
Suspension	Type	parapolic leaf spring 2/4+3
	Front axle stabilizer bar	●
Electrical System	Batteries	12 volt-140Ah×2
	Alternator	28 volt / 80 amp
	Starter	24 volt / 5.5KW
Acoustical Equipment	MP5	●
Lamp and Protection	Daytime running light	●
	Back light	●
Safety Configuration	Reverse alarm	●
	ABS	●
	ASR	●
	Engine brake	●
	Exhaust auxiliary brake	●
	Car driving recorder	●
	Label and nameplate	English





სენა ავტო

SENA AUTO

პირდაპირი ხარისხით!



15
YEARS

Successful Business



+995 32 255 10 50



office@senaauto.com.ge



www.Senaauto.ge



226, Agmashenebeli Alley 0131 Tbilisi, Georgia